

LASER FUNDAMENTALS

SECOND EDITION

WILLIAM T. SILFVAST

School of Optics / CREOL
University of Central Florida



CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York, NY 10011-4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa
<http://www.cambridge.org>

First published 1996
Reprinted 1999, 2000, 2003

First edition © Cambridge University Press
Second edition © William T. Silfvast 2004

This book is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2004

Printed in the United States of America

Typeface Times 10.5/13.5 and Avenir *System* AMS- $\text{T}_{\text{E}}\text{X}$ [FH]

A catalog record for this book is available from the British Library.

Library of Congress Cataloging in Publication data

Silfvast, William Thomas, 1937–

Laser fundamentals / William T. Silfvast. – 2nd ed.

p. cm.

Includes bibliographical references and index.

ISBN 0-521-83345-0

1. Lasers. I. Title.

TA1675.S52 2004

621.36'6 – dc21

2003055352

ISBN 0 521 83345 0 hardback

Contents

<i>Preface to the Second Edition</i>	page xix
<i>Preface to the First Edition</i>	xxi
<i>Acknowledgments</i>	xxiii
1 INTRODUCTION	1
OVERVIEW	1
Introduction	1
Definition of the Laser	1
Simplicity of a Laser	2
Unique Properties of a Laser	2
The Laser Spectrum and Wavelengths	3
A Brief History of the Laser	4
Overview of the Book	5
SECTION 1. FUNDAMENTAL WAVE PROPERTIES OF LIGHT	
2 WAVE NATURE OF LIGHT – THE INTERACTION OF LIGHT WITH MATERIALS	9
OVERVIEW	9
2.1 Maxwell’s Equations	9
2.2 Maxwell’s Wave Equations	12
Maxwell’s Wave Equations for a Vacuum	12
Solution of the General Wave Equation – Equivalence of Light and Electromagnetic Radiation	13
Wave Velocity – Phase and Group Velocities	17
Generalized Solution of the Wave Equation	20
Transverse Electromagnetic Waves and Polarized Light	21
Flow of Electromagnetic Energy	21
Radiation from a Point Source (Electric Dipole Radiation)	22
2.3 Interaction of Electromagnetic Radiation (Light) with Matter	23
Speed of Light in a Medium	23
Maxwell’s Equations in a Medium	24
Application of Maxwell’s Equations to Dielectric Materials – Laser Gain Media	25
Complex Index of Refraction – Optical Constants	28
Absorption and Dispersion	29

Estimating Particle Densities of Materials for Use in the Dispersion Equations	34
2.4 Coherence	36
Temporal Coherence	37
Spatial Coherence	38
REFERENCES	39
PROBLEMS	39

SECTION 2. FUNDAMENTAL QUANTUM PROPERTIES OF LIGHT

3 PARTICLE NATURE OF LIGHT – DISCRETE ENERGY LEVELS	45
OVERVIEW	45
3.1 Bohr Theory of the Hydrogen Atom	45
Historical Development of the Concept of Discrete Energy Levels	45
Energy Levels of the Hydrogen Atom	46
Frequency and Wavelength of Emission Lines	49
Ionization Energies and Energy Levels of Ions	51
Photons	54
3.2 Quantum Theory of Atomic Energy Levels	54
Wave Nature of Particles	54
Heisenberg Uncertainty Principle	56
Wave Theory	56
Wave Functions	57
Quantum States	57
The Schrödinger Wave Equation	59
Energy and Wave Function for the Ground State of the Hydrogen Atom	61
Excited States of Hydrogen	63
Allowed Quantum Numbers for Hydrogen Atom Wave Functions	66
3.3 Angular Momentum of Atoms	67
Orbital Angular Momentum	67
Spin Angular Momentum	68
Total Angular Momentum	69
3.4 Energy Levels Associated with One-Electron Atoms	70
Fine Structure of Spectral Lines	70
Pauli Exclusion Principle	72
3.5 Periodic Table of the Elements	72
Quantum Conditions Associated with Multiple Electrons Attached to Nuclei	72
Shorthand Notation for Electronic Configurations of Atoms Having More Than One Electron	76
3.6 Energy Levels of Multi-Electron Atoms	77
Energy-Level Designation for Multi-Electron States	77
Russell–Saunders or <i>LS</i> Coupling – Notation for Energy Levels	78
Energy Levels Associated with Two Electrons in Unfilled Shells	79
Rules for Obtaining <i>S</i> , <i>L</i> , and <i>J</i> for <i>LS</i> Coupling	82
Degeneracy and Statistical Weights	84
<i>j–j</i> Coupling	85
Isoelectronic Scaling	85

REFERENCES	86
PROBLEMS	86
4 RADIATIVE TRANSITIONS AND EMISSION LINEWIDTH	89
OVERVIEW	89
4.1 Decay of Excited States	90
Radiative Decay of Excited States of Isolated Atoms – Spontaneous Emission	90
Spontaneous Emission Decay Rate – Radiative Transition Probability	94
Lifetime of a Radiating Electron – The Electron as a Classical Radiating Harmonic Oscillator	95
Nonradiative Decay of the Excited States – Collisional Decay	98
4.2 Emission Broadening and Linewidth Due to Radiative Decay	101
Classical Emission Linewidth of a Radiating Electron	101
Natural Emission Linewidth as Deduced by Quantum Mechanics (Minimum Linewidth)	103
4.3 Additional Emission-Broadening Processes	105
Broadening Due to Nonradiative (Collisional) Decay	106
Broadening Due to Dephasing Collisions	107
Amorphous Crystal Broadening	109
Doppler Broadening in Gases	109
Voigt Lineshape Profile	114
Broadening in Gases Due to Isotope Shifts	115
Comparison of Various Types of Emission Broadening	118
4.4 Quantum Mechanical Description of Radiating Atoms	121
Electric Dipole Radiation	122
Electric Dipole Matrix Element	123
Electric Dipole Transition Probability	124
Oscillator Strength	124
Selection Rules for Electric Dipole Transitions Involving Atoms with a Single Electron in an Unfilled Subshell	125
Selection Rules for Radiative Transitions Involving Atoms with More Than One Electron in an Unfilled Subshell	129
Parity Selection Rule	130
Inefficient Radiative Transitions – Electric Quadrupole and Other Higher-Order Transitions	131
REFERENCES	131
PROBLEMS	131
5 ENERGY LEVELS AND RADIATIVE PROPERTIES OF MOLECULES, LIQUIDS, AND SOLIDS	135
OVERVIEW	135
5.1 Molecular Energy Levels and Spectra	135
Energy Levels of Molecules	135
Classification of Simple Molecules	138
Rotational Energy Levels of Linear Molecules	139
Rotational Energy Levels of Symmetric-Top Molecules	141
Selection Rules for Rotational Transitions	141

Vibrational Energy Levels	143
Selection Rule for Vibrational Transitions	143
Rotational–Vibrational Transitions	144
Probabilities of Rotational and Vibrational Transitions	148
Electronic Energy Levels of Molecules	149
Electronic Transitions and Associated Selection Rules of Molecules	150
Emission Linewidth of Molecular Transitions	150
The Franck–Condon Principle	151
Excimer Energy Levels	152
5.2 Liquid Energy Levels and Their Radiation Properties	153
Structure of Dye Molecules	153
Energy Levels of Dye Molecules	155
Excitation and Emission of Dye Molecules	156
Detrimental Triplet States of Dye Molecules	157
5.3 Energy Levels in Solids – Dielectric Laser Materials	158
Host Materials	158
Laser Species – Dopant Ions	159
Narrow-Linewidth Laser Materials	161
Broadband Tunable Laser Materials	166
Broadening Mechanism for Solid-State Lasers	168
5.4 Energy Levels in Solids – Semiconductor Laser Materials	168
Energy Bands in Crystalline Solids	168
Energy Levels in Periodic Structures	170
Energy Levels of Conductors, Insulators, and Semiconductors	172
Excitation and Decay of Excited Energy Levels – Recombination Radiation	173
Direct and Indirect Bandgap Semiconductors	174
Electron Distribution Function and Density of States in Semiconductors	175
Intrinsic Semiconductor Materials	179
Extrinsic Semiconductor Materials – Doping	179
p–n Junctions – Recombination Radiation Due to Electrical Excitation	182
Heterojunction Semiconductor Materials	184
Quantum Wells	186
Variation of Bandgap Energy and Radiation Wavelength with Alloy Composition	191
Recombination Radiation Transition Probability and Linewidth	195
REFERENCES	195
PROBLEMS	195
6 RADIATION AND THERMAL EQUILIBRIUM – ABSORPTION AND STIMULATED EMISSION	199
OVERVIEW	199
6.1 Equilibrium	199
Thermal Equilibrium	199
Thermal Equilibrium via Conduction and Convection	200
Thermal Equilibrium via Radiation	200

6.2 Radiating Bodies	201
Stefan–Boltzmann Law	204
Wien’s Law	205
Irradiance and Radiance	206
6.3 Cavity Radiation	207
Counting the Number of Cavity Modes	208
Rayleigh–Jeans Formula	209
Planck’s Law for Cavity Radiation	210
Relationship between Cavity Radiation and Blackbody Radiation	211
Wavelength Dependence of Blackbody Emission	214
6.4 Absorption and Stimulated Emission	215
The Principle of Detailed Balance	216
Absorption and Stimulated Emission Coefficients	217
REFERENCES	221
PROBLEMS	221

SECTION 3. LASER AMPLIFIERS

7 CONDITIONS FOR PRODUCING A LASER – POPULATION INVERSIONS, GAIN, AND GAIN SATURATION	225
OVERVIEW	225
7.1 Absorption and Gain	225
Absorption and Gain on a Homogeneously Broadened Radiative Transition (Lorentzian Frequency Distribution)	225
Gain Coefficient and Stimulated Emission Cross Section for Homogeneous Broadening	229
Absorption and Gain on an Inhomogeneously Broadened Radiative Transition (Doppler Broadening with a Gaussian Distribution)	230
Gain Coefficient and Stimulated Emission Cross Section for Doppler Broadening	231
Statistical Weights and the Gain Equation	232
Relationship of Gain Coefficient and Stimulated Emission Cross Section to Absorption Coefficient and Absorption Cross Section	233
7.2 Population Inversion (Necessary Condition for a Laser)	234
7.3 Saturation Intensity (Sufficient Condition for a Laser)	235
7.4 Development and Growth of a Laser Beam	238
Growth of Beam for a Gain Medium with Homogeneous Broadening	238
Shape or Geometry of Amplifying Medium	241
Growth of Beam for Doppler Broadening	244
7.5 Exponential Growth Factor (Gain)	245
7.6 Threshold Requirements for a Laser	247
Laser with No Mirrors	247
Laser with One Mirror	248
Laser with Two Mirrors	249
REFERENCES	253
PROBLEMS	253

8 LASER OSCILLATION ABOVE THRESHOLD	255
OVERVIEW	255
8.1 Laser Gain Saturation	255
Rate Equations of the Laser Levels That Include Stimulated Emission	255
Population Densities of Upper and Lower Laser Levels with Beam Present	256
Small-Signal Gain Coefficient	257
Saturation of the Laser Gain above Threshold	257
8.2 Laser Beam Growth beyond the Saturation Intensity	258
Change from Exponential Growth to Linear Growth	258
Steady-State Laser Intensity	261
8.3 Optimization of Laser Output Power	261
Optimum Output Mirror Transmission	261
Optimum Laser Output Intensity	264
Estimating Optimum Laser Output Power	264
8.4 Energy Exchange between Upper Laser Level Population and Laser Photons	266
Decay Time of a Laser Beam within an Optical Cavity	267
Basic Laser Cavity Rate Equations	268
Steady-State Solutions below Laser Threshold	270
Steady-State Operation above Laser Threshold	272
8.5 Laser Output Fluctuations	273
Laser Spiking	273
Relaxation Oscillations	276
8.6 Laser Amplifiers	279
Basic Amplifier Uses	279
Propagation of a High-Power, Short-Duration Optical Pulse through an Amplifier	280
Saturation Energy Fluence	282
Amplifying Long Laser Pulses	284
Amplifying Short Laser Pulses	284
Comparison of Efficient Laser Amplifiers Based upon Fundamental Saturation Limits	285
Mirror Array and Resonator (Regenerative) Amplifiers	285
REFERENCES	288
PROBLEMS	288
9 REQUIREMENTS FOR OBTAINING POPULATION INVERSIONS	290
OVERVIEW	290
9.1 Inversions and Two-Level Systems	290
9.2 Relative Decay Rates – Radiative versus Collisional	292
9.3 Steady-State Inversions in Three- and Four-Level Systems	293
Three-Level Laser with the Intermediate Level as the Upper Laser Level	295
Three-Level Laser with the Upper Laser Level as the Highest Level	298
Four-Level Laser	301
9.4 Transient Population Inversions	304

9.5 Processes That Inhibit or Destroy Inversions	307
Radiation Trapping in Atoms and Ions	308
Electron Collisional Thermalization of the Laser Levels in Atoms and Ions	311
Comparison of Radiation Trapping and Electron Collisional Mixing in a Gas Laser	315
Absorption within the Gain Medium	316
REFERENCES	319
PROBLEMS	319
10 LASER PUMPING REQUIREMENTS AND TECHNIQUES	322
OVERVIEW	322
10.1 Excitation or Pumping Threshold Requirements	322
10.2 Pumping Pathways	324
Excitation by Direct Pumping	324
Excitation by Indirect Pumping (Pump and Transfer)	327
Specific Pump-and-Transfer Processes	330
10.3 Specific Excitation Parameters Associated with Optical Pumping	339
Pumping Geometries	339
Pumping Requirements	342
A Simplified Optical Pumping Approximation	344
Transverse Pumping	346
End Pumping	348
Diode Pumping of Solid-State Lasers	350
Characterization of a Laser Gain Medium with Optical Pumping (Slope Efficiency)	352
10.4 Specific Excitation Parameters Associated with Particle Pumping	355
Electron Collisional Pumping	355
Heavy Particle Pumping	359
A More Accurate Description of Electron Excitation Rate to a Specific Energy Level in a Gas Discharge	359
Electrical Pumping of Semiconductors	361
REFERENCES	363
PROBLEMS	364
SECTION 4. LASER RESONATORS	
11 LASER CAVITY MODES	371
OVERVIEW	371
11.1 Introduction	371
11.2 Longitudinal Laser Cavity Modes	372
Fabry–Perot Resonator	372
Fabry–Perot Cavity Modes	379
Longitudinal Laser Cavity Modes	380
Longitudinal Mode Number	380
Requirements for the Development of Longitudinal Laser Modes	382

11.3 Transverse Laser Cavity Modes	384
Fresnel–Kirchhoff Diffraction Integral Formula	385
Development of Transverse Modes in a Cavity with Plane-Parallel Mirrors	386
Transverse Modes Using Curved Mirrors	390
Transverse Mode Spatial Distributions	391
Transverse Mode Frequencies	392
Gaussian-Shaped Transverse Modes within and beyond the Laser Cavity	393
11.4 Properties of Laser Modes	396
Mode Characteristics	396
Effect of Modes on the Gain Medium Profile	397
REFERENCES	399
PROBLEMS	399
12 STABLE LASER RESONATORS AND GAUSSIAN BEAMS	402
OVERVIEW	402
12.1 Stable Curved Mirror Cavities	402
Curved Mirror Cavities	402
$ABCD$ Matrices	404
Cavity Stability Criteria	406
12.2 Properties of Gaussian Beams	410
Propagation of a Gaussian Beam	411
Gaussian Beam Properties of Two-Mirror Laser Cavities	412
Properties of Specific Two-Mirror Laser Cavities	417
Mode Volume of a Hermite–Gaussian Mode	421
12.3 Properties of Real Laser Beams	423
12.4 Propagation of Gaussian Beams Using $ABCD$ Matrices – Complex Beam Parameter	425
Complex Beam Parameter Applied to a Two-Mirror Laser Cavity	428
REFERENCES	432
PROBLEMS	432
13 SPECIAL LASER CAVITIES AND CAVITY EFFECTS	434
OVERVIEW	434
13.1 Unstable Resonators	434
13.2 Q-Switching	439
General Description	439
Theory	441
Methods of Producing Q -Switching within a Laser Cavity	446
13.3 Gain-Switching	450
13.4 Mode-Locking	451
General Description	451
Theory	451
Techniques for Producing Mode-Locking	456
13.5 Pulse Shortening Techniques	462
Self-Phase Modulation	463
Pulse Shortening or Lengthening Using Group Velocity Dispersion	464
Pulse Compression (Shortening) with Gratings or Prisms	465
Ultrashort-Pulse Laser and Amplifier System	467

13.6 Ring Lasers	468
Monolithic Unidirectional Single-Mode Nd:YAG Ring Laser	469
Two-Mirror Ring Laser	470
13.7 Complex Beam Parameter Analysis Applied to Multi-Mirror Laser Cavities	470
Three-Mirror Ring Laser Cavity	470
Three- or Four-Mirror Focused Cavity	473
13.8 Cavities for Producing Spectral Narrowing of Laser Output	478
Cavity with Additional Fabry–Perot Etalon for Narrow-Frequency Selection	478
Tunable Cavity	478
Broadband Tunable cw Ring Lasers	480
Tunable Cavity for Ultranarrow-Frequency Output	480
Distributed Feedback (DFB) Lasers	481
Distributed Bragg Reflection Lasers	484
13.9 Laser Cavities Requiring Small-Diameter Gain Regions – Astigmatically Compensated Cavities	484
13.10 Waveguide Cavities for Gas Lasers	485
REFERENCES	486
PROBLEMS	488

SECTION 5. SPECIFIC LASER SYSTEMS

14 LASER SYSTEMS INVOLVING LOW-DENSITY GAIN MEDIA	491
OVERVIEW	491
14.1 Atomic Gas Lasers	491
Introduction	491
Helium–Neon Laser	492
General Description	492
Laser Structure	493
Excitation Mechanism	494
Applications	497
Argon Ion Laser	497
General Description	497
Laser Structure	498
Excitation Mechanism	499
Krypton Ion Laser	500
Applications	501
Helium–Cadmium Laser	501
General Description	501
Laser Structure	502
Excitation Mechanism	504
Applications	505
Copper Vapor Laser	505
General Description	505
Laser Structure	507
Excitation Mechanism	507
Applications	509

14.2 Molecular Gas Lasers	510
Introduction	510
Carbon Dioxide Laser	511
General Description	511
Laser Structure	511
Excitation Mechanism	515
Applications	515
Excimer Lasers	516
General Description	516
Laser Structure	517
Excitation Mechanism	518
Applications	520
Nitrogen Laser	520
General Description	520
Laser Structure and Excitation Mechanism	521
Applications	522
Far-Infrared Gas Lasers	522
General Description	522
Laser Structure	523
Excitation Mechanism	523
Applications	524
Chemical Lasers	524
General Description	524
Laser Structure	524
Excitation Mechanism	524
Applications	525
14.3 X-Ray Plasma Lasers	525
Introduction	525
Pumping Energy Requirements	525
Excitation Mechanism	528
Optical Cavities	532
X-Ray Laser Transitions	532
Applications	532
14.4 Free-Electron Lasers	535
Introduction	535
Laser Structure	536
Applications	537
REFERENCES	537
15 LASER SYSTEMS INVOLVING HIGH-DENSITY GAIN MEDIA	539
OVERVIEW	539
15.1 Organic Dye Lasers	539
Introduction	539
Laser Structure	540
Excitation Mechanism	543
Applications	544
15.2 Solid-State Lasers	545
Introduction	545

Ruby Laser	547
General Description	547
Laser Structure	548
Excitation Mechanism	548
Applications	549
Neodymium YAG and Glass Lasers	550
General Description	550
Laser Structure	551
Excitation Mechanism	553
Applications	554
Neodymium:YLF Lasers	555
General Description	555
Laser Structure	556
Excitation Mechanism	556
Applications	557
Neodymium:Yttrium Vanadate (Nd:YVO₄) Lasers	557
General Description	557
Laser Structure	557
Excitation Mechanism	558
Applications	558
Ytterbium:YAG Lasers	559
General Description	559
Laser Structure	560
Excitation Mechanism	560
Applications	561
Alexandrite Laser	562
General Description	562
Laser Structure	563
Excitation Mechanism	563
Applications	564
Titanium Sapphire Laser	565
General Description	565
Laser Structure	566
Excitation Mechanism	567
Applications	568
Chromium LiSAF and LiCAF Lasers	568
General Description	568
Laser Structure	568
Excitation Mechanism	569
Applications	570
Fiber Lasers	570
General Description	570
Laser Structure	571
Excitation Mechanism	571
Applications	572
Color Center Lasers	573
General Description	573
Laser Structure	574

Excitation Mechanism	574
Applications	576
15.3 Semiconductor Diode Lasers	576
Introduction	576
Four Basic Types of Laser Materials	579
Laser Structure	581
Frequency Control of Laser Output	591
Quantum Cascade Lasers	592
p-Doped Germanium Lasers	594
Excitation Mechanism	594
Applications	596
REFERENCES	597
SECTION 6. FREQUENCY MULTIPLICATION OF LASER BEAMS	
16 FREQUENCY MULTIPLICATION OF LASERS AND OTHER NONLINEAR OPTICAL EFFECTS	601
OVERVIEW	601
16.1 Wave Propagation in an Anisotropic Crystal	601
16.2 Polarization Response of Materials to Light	603
16.3 Second-Order Nonlinear Optical Processes	604
Second Harmonic Generation	604
Sum and Difference Frequency Generation	605
Optical Parametric Oscillation	607
16.4 Third-Order Nonlinear Optical Processes	607
Third Harmonic Generation	608
Intensity-Dependent Refractive Index – Self-Focusing	609
16.5 Nonlinear Optical Materials	610
16.6 Phase Matching	610
Description of Phase Matching	610
Achieving Phase Matching	613
Types of Phase Matching	615
16.7 Saturable Absorption	615
16.8 Two-Photon Absorption	617
16.9 Stimulated Raman Scattering	618
16.10 Harmonic Generation in Gases	619
REFERENCES	619
<i>Appendix</i>	621
<i>Index</i>	625

1

Introduction

OVERVIEW A laser is a device that amplifies light and produces a highly directional, high-intensity beam that most often has a very pure frequency or wavelength. It comes in sizes ranging from approximately one tenth the diameter of a human hair to the size of a very large building, in powers ranging from 10^{-9} to 10^{20} W, and in wavelengths ranging from the microwave to the soft-X-ray spectral regions with corresponding frequencies from 10^{11} to 10^{17} Hz. Lasers have pulse energies as high as 10^4 J and pulse durations as short as 5×10^{-15} s. They can easily drill holes in the most durable of materials and can

weld detached retinas within the human eye. They are a key component of some of our most modern communication systems and are the “phonograph needle” of our compact disc players. They perform heat treatment of high-strength materials, such as the pistons of our automobile engines, and provide a special surgical knife for many types of medical procedures. They act as target designators for military weapons and provide for the rapid check-out we have come to expect at the supermarket. What a remarkable range of characteristics for a device that is in only its fifth decade of existence!

INTRODUCTION

There is nothing magical about a laser. It can be thought of as just another type of light source. It certainly has many unique properties that make it a special light source, but these properties can be understood without knowledge of sophisticated mathematical techniques or complex ideas. It is the objective of this text to explain the operation of the laser in a simple, logical approach that builds from one concept to the next as the chapters evolve. The concepts, as they are developed, will be applied to all classes of laser materials, so that the reader will develop a sense of the broad field of lasers while still acquiring the capability to study, design, or simply understand a specific type of laser system in detail.

DEFINITION OF THE LASER

The word *laser* is an acronym for Light Amplification by Stimulated Emission of Radiation. The laser makes use of processes that increase or amplify light signals after those signals have been generated by other means. These processes include (1) stimulated emission, a natural effect that was deduced by considerations relating to thermodynamic equilibrium, and (2) optical feedback (present in most




Figure 1-1 Simplified schematic of typical laser

lasers) that is usually provided by mirrors. Thus, in its simplest form, a laser consists of a gain or amplifying medium (where stimulated emission occurs), and a set of mirrors to feed the light back into the amplifier for continued growth of the developing beam, as seen in Figure 1-1.

SIMPLICITY OF A LASER

The simplicity of a laser can be understood by considering the light from a candle. Normally, a burning candle radiates light in all directions, and therefore illuminates various objects equally if they are equidistant from the candle. A laser takes light that would normally be emitted in all directions, such as from a candle, and concentrates that light into a single direction. Thus, if the light radiating in all directions from a candle were concentrated into a single beam of the diameter of the pupil of your eye (approximately 3 mm), and if you were standing a distance of 1 m from the candle, then the light intensity would be 1,000,000 times as bright as the light that you normally see radiating from the candle! That is essentially the underlying concept of the operation of a laser. However, a candle is not the kind of medium that produces amplification, and thus there are no candle lasers. It takes relatively special conditions within the laser medium for amplification to occur, but it is that capability of taking light that would normally radiate from a source in all directions – and concentrating that light into a beam traveling in a single direction – that is involved in making a laser. These special conditions, and the media within which they are produced, will be described in some detail in this book.

UNIQUE PROPERTIES OF A LASER

The beam of light generated by a typical laser can have many properties that are unique. When comparing laser properties to those of other light sources, it can be readily recognized that the values of various parameters for laser light either greatly exceed or are much more restrictive than the values for many common light sources. We never use lasers for street illumination, or for illumination within our houses. We don't use them for searchlights or flashlights or as headlights in

our cars. Lasers generally have a narrower frequency distribution, or much higher intensity, or a much greater degree of collimation, or much shorter pulse duration, than that available from more common types of light sources. Therefore, we do use them in compact disc players, in supermarket check-out scanners, in surveying instruments, and in medical applications as a surgical knife or for welding detached retinas. We also use them in communications systems and in radar and military targeting applications, as well as many other areas. *A laser is a specialized light source that should be used only when its unique properties are required.*

THE LASER SPECTRUM AND WAVELENGTHS

A portion of the electromagnetic radiation spectrum is shown in Figure 1-2 for the region covered by currently existing lasers. Such lasers span the wavelength range from the far infrared part of the spectrum ($\lambda = 1,000 \mu\text{m}$) to the soft-X-ray region ($\lambda = 3 \text{ nm}$), thereby covering a range of wavelengths of almost six orders of magnitude. There are several types of units that are used to define laser wavelengths. These range from micrometers or microns (μm) in the infrared to nanometers (nm) and angstroms (\AA) in the visible, ultraviolet (UV), vacuum ultraviolet (VUV), extreme ultraviolet (EUV or XUV), and soft-X-ray (SXR) spectral regions.

WAVELENGTH UNITS

- $1 \mu\text{m} = 10^{-6} \text{ m};$
- $1 \text{\AA} = 10^{-10} \text{ m};$
- $1 \text{ nm} = 10^{-9} \text{ m}.$

Consequently, 1 micron (μm) = 10,000 angstroms (\AA) = 1,000 nanometers (nm). For example, green light has a wavelength of $5 \times 10^{-7} \text{ m} = 0.5 \mu\text{m} = 5,000 \text{\AA} = 500 \text{ nm}.$




Figure 1-2 Wavelength range of various lasers

WAVELENGTH REGIONS

Far infrared: 10 to 1,000 μm ;
middle infrared: 1 to 10 μm ;
near infrared: 0.7 to 1 μm ;
visible: 0.4 to 0.7 μm , or 400 to 700 nm;
ultraviolet: 0.2 to 0.4 μm , or 200 to 400 nm;
vacuum ultraviolet: 0.1 to 0.2 μm , or 100 to 200 nm;
extreme ultraviolet: 10 to 100 nm;
soft X-rays: 1 nm to approximately 20–30 nm (some overlap with EUV).

A BRIEF HISTORY OF THE LASER

Charles Townes took advantage of the stimulated emission process to construct a microwave amplifier, referred to as a *maser*. This device produced a coherent beam of microwaves to be used for communications. The first maser was produced in ammonia vapor with the inversion between two energy levels that produced gain at a wavelength of 1.25 cm. The wavelengths produced in the maser were comparable to the dimensions of the device, so extrapolation to the optical regime – where wavelengths were five orders of magnitude smaller – was not an obvious extension of that work.

In 1958, Townes and Schawlow published a paper concerning their ideas about extending the maser concept to optical frequencies. They developed the concept of an optical amplifier surrounded by an optical mirror resonant cavity to allow for growth of the beam. Townes and Schawlow each received a Nobel Prize for his work in this field.

In 1960, Theodore Maiman of Hughes Research Laboratories produced the first laser using a ruby crystal as the amplifier and a flashlamp as the energy source. The helical flashlamp surrounded a rod-shaped ruby crystal, and the optical cavity was formed by coating the flattened ends of the ruby rod with a highly reflecting material. An intense red beam was observed to emerge from the end of the rod when the flashlamp was fired!

The first gas laser was developed in 1961 by A. Javan, W. Bennett, and D. Harriott of Bell Laboratories, using a mixture of helium and neon gases. At the same laboratories, L. F. Johnson and K. Nassau demonstrated the first neodymium laser, which has since become one of the most reliable lasers available. This was followed in 1962 by the first semiconductor laser, demonstrated by R. Hall at the General Electric Research Laboratories. In 1963, C. K. N. Patel of Bell Laboratories discovered the infrared carbon dioxide laser, which is one of the most efficient and powerful lasers available today. Later that same year, E. Bell of Spectra Physics discovered the first ion laser, in mercury vapor. In 1964 W. Bridges of Hughes Research Laboratories discovered the argon ion laser, and in 1966 W. Silfvast, G. R. Fowles, and B. D. Hopkins produced the first blue helium–cadmium metal vapor

laser. During that same year, P. P. Sorokin and J. R. Lankard of the IBM Research Laboratories developed the first liquid laser using an organic dye dissolved in a solvent, thereby leading to the category of broadly tunable lasers. Also at that time, W. Walter and co-workers at TRG reported the first copper vapor laser.

The first vacuum ultraviolet laser was reported to occur in molecular hydrogen by R. Hodgson of IBM and independently by R. Waynant et al. of the Naval Research Laboratories in 1970. The first of the well-known rare-gas-halide excimer lasers was observed in xenon fluoride by J. J. Ewing and C. Brau of the Avco–Everett Research Laboratory in 1975. In that same year, the first quantum-well laser was made in a gallium arsenide semiconductor by J. van der Ziel and co-workers at Bell Laboratories. In 1976, J. M. J. Madey and co-workers at Stanford University demonstrated the first free-electron laser amplifier operating in the infrared at the CO₂ laser wavelength. In 1979, Walling and co-workers at Allied Chemical Corporation obtained broadly tunable laser output from a solid-state laser material called alexandrite, and in 1985 the first soft–X-ray laser was successfully demonstrated in a highly ionized selenium plasma by D. Matthews and a large number of co-workers at the Lawrence Livermore Laboratories. In 1986, P. Moulton discovered the titanium sapphire laser. In 1991, M. Hasse and co-workers developed the first blue-green diode laser in ZnSe. In 1994, F. Capasso and co-workers developed the quantum cascade laser. In 1996, S. Nakamura developed the first blue diode laser in GaN-based materials.

In 1961, Fox and Li described the existence of resonant transverse modes in a laser cavity. That same year, Boyd and Gordon obtained solutions of the wave equation for confocal resonator modes. Unstable resonators were demonstrated in 1969 by Krupke and Sooy and were described theoretically by Siegman. *Q*-switching was first obtained by McClung and Hellwarth in 1962 and described later by Wagner and Lengyel. The first mode-locking was obtained by Hargrove, Fork, and Pollack in 1964. Since then, many special cavity arrangements, feedback schemes, and other devices have been developed to improve the control, operation, and reliability of lasers.

OVERVIEW OF THE BOOK

Isaac Newton described light as small bodies emitted from shining substances. This view was no doubt influenced by the fact that light appears to propagate in a straight line. Christian Huygens, on the other hand, described light as a wave motion in which a small source spreads out in all directions; most observed effects – including diffraction, reflection, and refraction – can be attributed to the expansion of primary waves and of secondary wavelets. The dual nature of light is still a useful concept, whereby the choice of particle or wave explanation depends upon the effect to be considered.

Section One of this book deals with the fundamental *wave* properties of light, including Maxwell's equations, the interaction of electromagnetic radiation with

matter, absorption and dispersion, and coherence. Section Two deals with the fundamental *quantum* properties of light. Chapter 3 describes the concept of discrete energy levels in atomic laser species and also how the periodic table of the elements evolved. Chapter 4 deals with radiative transitions and emission linewidths and the probability of making transitions between energy levels. Chapter 5 considers energy levels of lasers in molecules, liquids, and solids – both dielectric solids and semiconductors. Chapter 6 then considers radiation in equilibrium and the concepts of absorption and stimulated emission of radiation. At this point the student has the basic tools to begin building a laser.

Section Three considers laser amplifiers. Chapter 7 describes the theoretical basis for producing population inversions and gain. Chapter 8 examines laser gain and operation above threshold, Chapter 9 describes how population inversions are produced, and Chapter 10 considers how sufficient amplification is achieved to make an intense laser beam. Section Four deals with laser resonators. Chapter 11 considers both longitudinal and transverse modes within a laser cavity, and Chapter 12 investigates the properties of stable resonators and Gaussian beams. Chapter 13 considers a variety of special laser cavities and effects, including unstable resonators, *Q*-switching, mode-locking, pulse narrowing, ring lasers, and spectral narrowing.

Section Five covers specific laser systems. Chapter 14 describes eleven of the most well-known gas and plasma laser systems. Chapter 15 considers twelve well-known dye lasers and solid-state lasers, including both dielectric solid-state lasers and semiconductor lasers. The book concludes with Section Six (Chapter 16), which provides a brief overview of frequency multiplication with lasers and other nonlinear effects.